

El Case Presentation

Response was completed on 09/18/2023 10:13am.

Record ID

2

ECHO Autism Early Intervention

Ages 0-8 Years

Case Presentation Form

Brett Moore, DO; Brittney Stevenson, MOT, OTR/L; Michelle Dampf, MA, CCC-SLP; Laura Barnes, MS, BCBA, LBA; Michelle Haynam, MS Ed.

Complete this form to the best of your ability. This survey is individualized and should only be completed and submitted by the listed provider. A unique confidential patient ID number (ECHO ID) has been provided that must be utilized when identifying your patient during clinic.

Email our clinic coordinator **Sarah Towne** at <u>sarahtowne@health.missouri.edu</u> if you have any questions or comments.

PLEASE NOTE: Project ECHO case consultations do not create or otherwise establish a provider-patient relationship between any UMH clinician and any patient whose case is being presented in a Project ECHO setting.

Presenting Provider Name:	Jamie Isreal
ECHO ID:	EI0044
Clinic/Facility:	Virginia E. George Elementary
	Albany
Provider Phone Number:	6604250628
Provider Fax Number:	
Presentation date:	09-25-2023 M-D-Y

Patient Data Biological Gender: Patient Age: 8 3 Insurance: Medicaid **Insurance Company:** Race: White/Caucasian **Ethnicity:** Not Hispanic/Latino ✓ **Patient Outcomes** Who referred the child to you? Preschool/School/Head Start V How long has the child been in your care? 2 months Has the patient received a diagnosis? No How long did the patient have to wait to see you? -na-How long has the patient been in your care? 2 months Is the patient in individual or group intervention? Individual 🗸 How often do you see the patient? 4 hours / day How many sessions have you had with the patient? 16 Who typically accompanies the patient to clinic appointments? -na-How far did the patient travel to get to you office? Miles: 7 **Hours:** Minutes: 10 minutes

List the questions you would like help with.

now do we handle behavior episodes? Do you believe the	beliavior is illeulcally related:
2)	
What other interventions do you recommend for behavior	?
3)	
What can do for discipline?	
Birth History	
<u>-</u>	
Exposures during pregnancy:	
□ Smoking □ Alcohol □ Valproic Acid □ Street drug	gs/other
Other:	
Gestational age:	39
	(weeks)
Birth weight:	[5 (lbs)
	15
	(oz)
Delivery mode:	
○ Vaginal ○ C-section	
Presentation:	
O Breech	
Were there newborn problems?	
● Yes ○ No	
lf yes, explain:	
	se, Dandy Walker Disease, tongue tied, undescended testicle, male, reflux of kidney and acid reflux. Has mild to moderate hearing loss.

Please check all of the following that apply:

Servines Since of the property	☑ In NICU
© Irch defects Feeding issues in Infancy Cother If Other, explain: cyes would twitch/seize; absent seizures. Has oral aversion. Comments: Comments: Communication Ability (Please indicate the child's highest communication/s) Nonwerbal (e.g., no functional words) Uses single words Uses single words Uses sentences Uses sentences Uses sentences Uses sentences When the child's highest communication/s) Behavior Concerns Solves Canada or other people Urusual or excessive fears Depression Hyperactivity Charswith other Urusual or excessive fears Depression Definit Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Trolleting issues, accidents Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	☑ Required intubation
Feeding issues in infancy Other If Other, explain: cyes would twitch/seize; absent seizures. Has oral aversion. Comments: Communication Ability (Please Indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses sentences Cotats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior.Concerns Short attention span Hyperactivity Obsessive compulsive Aggressive Hutring animals or other people Unusual or excessive fears Depression Depression Final properactions Indicate the child's highest communication and sometimes it is behavior. Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
If Other, explain: eyes would twittch/seize; absent seizures. Has oral aversion. Comments: Communication Ability (Please Indicate the child's highest communication/s) \[\text{Nonwerbal} (e.g., no functional words) \text{Uses single words} \text{Uses 2-3 word phrases} \text{Uses selections} \text{Chass with other} \text{Uses gestures (e.g., pointing, waving and/or leads other to wants/needs)} \[\text{Rehavior Concerns} \text{Short attention span} \text{Hyperactivity} \text{Obsessive-compulsive} \text{Aggressive} \text{Hurding animals or other people} \text{Unitude of excessive fears} \text{Depression} \text{Depression} \text{Depression} \text{Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.)} \text{Tolleting issues, accidents} \text{Hallucinations} Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	☑ Birth defects
eyes would twitch/seize; absent seizures. Has oral aversion. Comments: Development History	✓ Feeding issues in infancy
eyes would twitch/seize; absent seizures. Has oral aversion. Comments: Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses 32 word phrases Uses 23 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Desessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Depression Depression Petiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Totaling issues, accidents I ritability/Moodiness Hallucinations Comments:	✓ Other
Comments: Development History	If Other, explain:
Comments: Development History	
Development History Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses say word privates Uses 2-3 word privates Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Unruting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	eyes would twitch/seize; absent seizures. Has oral aversion.
Development History Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses say word privates Uses 2-3 word privates Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Unruting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Development History Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses say word privates Uses 2-3 word privates Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Unruting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Development History Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses say word privates Uses 2-3 word privates Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Unruting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	Comments:
Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Communication Ability (Please indicate the child's highest communication/s) Nonverbal (e.g., no functional words) Uses single words Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Nonverbal (e.g., no functional words) Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	Development History
Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Ushort attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	Communication Ability (Please indicate the child's highest communication/s)
Uses single words Uses 2-3 word phrases Uses sentences Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Ushort attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	Nonverbal (e.g., no functional words)
 ✓ Uses 2-3 word phrases ◯ Uses sentences ◯ Chats with other ◯ Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns ✓ Short attention span ☐ Hyperactivity ✓ Obsessive-compulsive ✓ Aggressive ☐ Hurting animals or other people ☐ Unusual or excessive fears ☐ Depression ✓ Defiant ☐ Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ✓ Toileting issues, accidents ✓ Irritability/Moodiness ☐ Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Chats with other Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Hallucinations Hallucinations Comments:	
□ Uses gestures (e.g., pointing, waving and/or leads other to wants/needs) Behavior Concerns Short attention span Hyperactivity Obsessive-compulsive Aggressive Hurting animals or other people Unusual or excessive fears Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Behavior Concerns ✓ Short attention span	
✓ Short attention span	
 Hyperactivity ✓ Obsessive-compulsive ✓ Aggressive Hurting animals or other people Unusual or excessive fears Depression ✓ Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ✓ Toileting issues, accidents ✓ Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior. 	Benavior Concerns
✓ Obsessive-compulsive ✓ Aggressive	✓ Short attention span
✓ Aggressive Hurting animals or other people Unusual or excessive fears Depression ✓ Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ✓ Toileting issues, accidents ✓ Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	Hyperactivity
Hurting animals or other people Unusual or excessive fears Depression Depression Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) Toileting issues, accidents Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	✓ Obsessive-compulsive
 Unusual or excessive fears Depression ✓ Defiant Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ✓ Toileting issues, accidents ✓ Irritability/Moodiness Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	✓ Aggressive
□ Depression □ Defiant □ Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) □ Toileting issues, accidents □ Irritability/Moodiness □ Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	☐ Hurting animals or other people
 ☑ Defiant ☐ Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ☑ Toileting issues, accidents ☑ Irritability/Moodiness ☐ Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior. 	Unusual or excessive fears
□ Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ☑ Toileting issues, accidents ☑ Irritability/Moodiness □ Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	·
 ☑ Toileting issues, accidents ☑ Irritability/Moodiness ☐ Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior. 	☑ Defiant
✓ Irritability/Moodiness ☐ Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	\square Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.)
Hallucinations Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Comments: Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	Hallucinations
Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.	
	Comments:
Medical/Psychiatric History	Sudden outburst, sometimes we believe it is medical communication and sometimes it is behavior.
Medical/Psychiatric History	
	Medical/Psychiatric History

Please list all diagnosis, surgeries, illnesses and or any significant medical history:

Diagnosis/Illness:	
He has had 20 surgeries; 6 of which were open heart. Kidne Removed part of intestines.	ey surgery for reflux. Testicular surgery, Feeding tube placement.
Age:	
Date - Year:	
Professional making diagnosis:	
Diagnosis/Illness:	
Please list current medications	and supplements:
Medication:	Warfrin, Spiralactone, Furosmide, Calcium,
Dosage:	
Age when started:	Birth, or a little later
Reason for medication:	
Is it helping?	● Yes ○ No
Medication:	zyrtec
Dosage:	
Age when started:	3
Reason for medication:	allergy symptoms
Is it helping?	● Yes ○ No

Medication:	
Please check all of the following that apply:	
Seizures	
☐ Tic Disorder	
✓ Staring spells	
✓ Toe walking	
Hypertonia	
Hypotonia	
Microcephaly	
✓ Macrocephaly	
☑ Chronic stomach ache/pain/reflux	
☐ Chronic constipation	
☐ Chronic diarrhea	
Chronic ear infections	
Food allergy	
✓ Environmental allergies	
Skin problems (e.g., rash, eczema)	
Comments:	
Testing	
Have the following tests b	een performed?
Chromosomal Microarray	•
Results:	Missing sharp assessed 12. Chause Conductors
Results.	Missing chromosome 13 - Charge Syndrome
Karyotype	
○ Yes ○ No • Unknown	
Fragile X DNA	
○ Yes ○ No ○ Unknown	
MRI of the brain	
● Yes ○ No ○ Unknown	
Results:	
EEG	
Results:	Eveny 2 months
	Every 3 months

○ Yes ○ No ○ Unknown	
Lead blood level	
○ Yes	
Audiologic (hearing) exam	
Results:	
Vision screening	
● Yes ○ No ○ Unknown	
Results:	
Academic testing	
Yes O No O Unknown	
Results:	
Intelligence testing	
Results:	
Comments:	
Currently has an IEP with our school	
Dietary/Nutrition/Metabolic	
Please check all of the following that apply:	
 ✓ Problem eater (Less than 10 foods) ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight ✓ History of growth concerns - Underweight 	
 ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight 	
 ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight ✓ History of growth concerns - Underweight 	
 ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight ✓ History of growth concerns - Underweight ✓ Which beverages does the child drink regularly? 	8 (oz)
 ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight ✓ History of growth concerns - Underweight ✓ Which beverages does the child drink regularly? ✓ Water ☐ Milk ✓ Juice/Sweetened beverages 	
 ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight ✓ History of growth concerns - Underweight ✓ Which beverages does the child drink regularly? ✓ Water ☐ Milk ✓ Juice/Sweetened beverages Approximately how much water does the child drink per day? How often is water accessible? 	
 ✓ Picky eater (Less than 20 foods) ✓ Special Diet ☐ Pica (Eating/craving non-food items) ✓ Chewing or swallowing issues ☐ History of growth concerns - Overweight ✓ History of growth concerns - Underweight ✓ Which beverages does the child drink regularly? ✓ Water ☐ Milk ✓ Juice/Sweetened beverages Approximately how much water does the child drink per day? 	

Does child drink more than 2	4 oz <mark>juice</mark> per day?		
● Yes ○ No ○ Unknown			
How often is juice accessible?	•		
O At meals/snack time • Access to juice	e available all day		
Comments:			
He will drink Mt. Dew for mom, therefore	it is available.		
Sleep History			
Rarely = never or 1 time/we times/week	eek; Sometimes = 2-	4 times/week; Us ı	ally = 5 or more
Does the child fall asleep within 20 min	utes? If yes, how often?		
○ No ○ Rarely ○ Sometimes ○ Usu	ually O Unsure		
Is falling asleep a problem?			
○ No ○ Rarely ○ Sometimes ○ Usu	ually O Unsure		
Does the child awaken more than once	during the night? If yes, how	often?	
● No ○ Rarely ○ Sometimes ○ Usu	ually O Unsure		
Comments:			
Once asleep he is out			
Trauma/Abuse Histor	У		
	No	Yes	Suspected
Trauma/Abuse History	0	\circ	•
Physical Abuse	0	•	0
Sexual Abuse	0	•	0
Comments:			

Social History	
Child resides with:	Mother ~
Has legal custody of the child:	Mother 🗸
Biological parents are:	Never married 🗸
How many people live in the home <i>not</i> including the child?	3 🗸
Who lives in the home w	ith the child?
Relationship (1/2 sib, step-parent, etc.):	Mom
Age:	34 (yrs) (mos)
Gender:	Female
Relationship:	1/2 Brother
Age:	16 (yrs) (mos)
Gender:	Male 🗸
Relationship:	
Age:	(yrs) (mos)
Gender:	•
List other significant caregivers that live outside the home (e.g., family,	friends, grandparents, neighbor):
Grandparents if desperate. Child doesn't go with them often.	
Comments:	
Family History	

Condition/Disorder

Mom Dad Brother Sister

Genetic Disorders				
Autism Spectrum Disorder				
Intellectual Disability				
Learning Disability	✓			
Seizure Disorder (e.g., epilepsy)				
Mental Health Concerns (e.g., Depression, Anxiety Disorder, Bipolar)	✓		✓	
Childhood deaths				
Birth defects				
Dysmorphology				
Substance abuse				
Comments:				
Child Care or Education	nal History			
What is the child's current child care or educational placement? (Please check all that apply) □ Parents provide full time child care at home □ In-home child care (other caregiver) □ In-home day care □ Day care center □ Preschool □ Head Start or Early Head Start □ Homeschool □ 1st Steps ☑ Public School □ Private School				
Does the child participate in either of the following?				
☐ Early Intervention Services (First Steps or Birth-3 Program) ☐ Early Childhood Special Education (ECSE)				
If the child attends child care or school outside the home, what is the typical schedule? • Full Day • Part Day				
- ran bay - rant bay				

● Yes ○ No
What services and how many minutes does the child receive?
1000 minutes per week in the Special Education Classroom with a 1 on 1 para.
Under what category is the child eligible for services?
Autism Deaf-blindness Emotional Disturbance Hearing Impaired/Deafness Intellectual Disability Multiple Disabilities Orthopedic Impairment Other Health Impairment Specific Learning Disability Speech/Language Impairment Traumatic Brain Injury Visual Impairment/ Blindness Young Child with a Developmental Delay (YCDD)
1000 minutes per week in the Special Education Classroom with a 1 on 1 para.
Outside Resources
Resources: Bureau of Special Health Care Needs Behavioral Therapy/ABA Easter Seals

Outpatient
© School Setting
OBoth
Is Speech Language Therapy provided in an outpatient or school setting?
Outpatient
School Setting○ Both
C BOUT
Is Occupational Therapy provided in an outpatient or school setting?
Outpatient
School Setting
OBoth
Comments
Comments
Social Communication
Social Communication
A1. Deficits in social-emotional reciprocity. (Click all that apply)
Unusual social initiations (e.g., intrusive touching, licking or others)
Use of others as tools (e.g. child uses your hand to initiate a task)
Failure to respond when name called or when spoken directly to
✓ Does not initiate conversations
Lack of showing or pointing out objects of interest to other people
Lack of responsive social smile
✓ Failure to share enjoyment, excitement or achievements with others
Does not show pleasure in social interactions
☐ Failure to offer comfort to others
✓ Only initiates to get help
A2. Deficits in nonverbal communicative behaviors used for social interaction (check all that apply)
✓ Impairments in social use of eye contact
✓ Impairment in the use and understanding of body postures (e.g. facing away from listener)
✓ Impairment in the use and understanding of gestures (e.g. pointing, waving, nodding head)
☐ Abnormal volume, pitch, intonation, rate, rhythm, stress, prosody or volume in speech ✓ Lack of coordinated verbal and nonverbal communication (e.g. inability to coordinate eye contact or body language with
words)
A3. Deficits in developing, maintaining, and understanding relationships
☑ Inability to take another person's perspective (4 years or older)
☑ Does not notice another person's lack of interest in an activity
✓ Lack of response to contextual cues (e.g. social cues from others indicating a change in behavior is implicitly requested)
✓ Inappropriate expressions of emotion (laughing or smiling out of context)
☐ Lack of imaginative play with peers
Does not try to establish friendships
☐ Lack of cooperative play (over 24 months of age)
Lack of interest in peers
Withdrawn; aloof; in own world
Prefers solitary activities

Restricted/Repetitive Behavior

B1. Stereotyped or repetitive motor movements, use of objects, or speech	
☐ Lining up toys	
Nonfunctional play with objects (Examples: dropping items repetitively, holding objects for long periods of time without	ıt
purpose)	
Repetitively turns on/off lights	
☐ Echolalia	
☐ Idiosyncratic phrases (Example: "crunchy water" for ice)	
✓ Hand flapping	
✓ Rocking	
☐ Flicking fingers in front of eyes	
✓ Opening/closing doors	
Spinning	
Unusually formal language (Example: little professor talk)	
☐ Jargon or gibberish past developmental age of 24 months	
Use of "rote" language	
☑ Pronoun reversal and/or refers to self by own name	
Repetitive vocalizations (Examples: unusual squealing, repetitive humming)	
Abnormal posture (Examples: toe walking, intense full body posturing)	
Excessive teeth grinding	
✓ Repetitive picking	
B2. Insistence on sameness, inflexible adherence to routines, or ritualized patterns of verbal or nonverbal behavio	r
☑ Difficulty with transition	
☐ Unusual routines	
✓ Repetitive questioning about a particular topic	
☑ Extreme distress with small changes	
☑ Rigid thinking patterns (Examples: inability to understand humor or nonliteral aspects of speech such as irony)	
Greeting rituals or other verbal rituals	
☐ Compulsions (Example: must turn in a circle three times before entering a room)	
\square Need to take some route or eat same food every day	
B3. Highly restricted, fixated interests that are abnormal in intensity or focus	
☑ Strong attachment to or preoccupation with unusual objects (Examples: fans, elevators)	
Excessively circumscribed or perseverative interests (Examples: dinosaurs, alphabet, shapes)	
Being overly perfectionistic	
Excessive focus on nonrelevant or nonfunctional parts of objects (Example: overly focused on wheels on car)	
Attachment to unusual inanimate object (Example: measuring cup or ring from canning jar)	
Unusual fears (Example: people wearing earrings or hats)	
B4. Hyper- or hypo-reactivity to sensory input or unusual interest in sensory aspects of the environment	
Apparent indifference to pain/temperature	
Adverse response to specific sounds or textures (Examples: tactile defensiveness, significant aversion to nail cutting)	
Excessive smelling, licking or touching of objects	
☐ Visual fascination with lights or movement (Examples: close visual inspection of objects or self for no clear purpose)	
Excessive movement, seeking behavior	

Additional Comments

Proposed Recommendations:
Based on my assessment, the following recommendations are proposed for the child:
1)
2)
3)
4)
5)
6)
Form Status

Complete? Complete V