

El Case Presentation

Response was completed on 03/21/2024 10:03am.

Record ID

13

ECHO Autism Early Intervention

Ages 0-8 Years

Case Presentation Form

Brett Moore, DO; Brittney Stevenson, MOT, OTR/L; Michelle Dampf, MA, CCC-SLP; Laura Barnes, MS, BCBA, LBA; Michelle Haynam, MS Ed.

Complete this form to the best of your ability. This survey is individualized and should only be completed and submitted by the listed provider. A unique confidential patient ID number (ECHO ID) has been provided that must be utilized when identifying your patient during clinic.

Email our clinic coordinator **Sarah Towne** at <u>sarahtowne@health.missouri.edu</u> if you have any questions or comments.

PLEASE NOTE: Project ECHO case consultations do not create or otherwise establish a provider-patient relationship between any UMH clinician and any patient whose case is being presented in a Project ECHO setting.

Presenting Provider Name:	Michalla Ctamacinhau
	Michelle Stonecipher
ECHO ID:	EI0055
Clinic/Facility:	Early Childhood Learning Center
	Kirksville
Provider Phone Number:	6603490215
Provider Fax Number:	
Presentation date:	03-25-2024 M-D-Y

Patient Data Biological Gender: Patient Age: 5 3 Insurance: Medicaid 🕶 **Insurance Company:** Race: Black/African American **Ethnicity:** Not Hispanic/Latino ➤ **Patient Outcomes** Who referred the child to you? Preschool/School/Head Start ~ How long has the child been in your care? 7 months Has the patient received a diagnosis? No How long did the patient have to wait to see you? non-relevant How long has the patient been in your care? non-relevant Is the patient in individual or group intervention? Individual 🗸 How often do you see the patient? 4 x weekly How many sessions have you had with the patient? Who typically accompanies the patient to clinic appointments? How far did the patient travel to get to you office? Miles: **Hours:** Minutes:

List the questions you would like help with.

What more can we do to help with that? (He has a Behavior Intervention Plan with a Safety Plan.)				
2)				
The child has stuck thinking. How can we help him to be more flexible?				
3)				
The child is still in pull ups. Toileting has been difficult to address due to the physical behavior when	the child is asked to engage in a non-preferred activity.			
Birth History				
Exposures during pregnancy:				
☐ Smoking ☐ Alcohol ☐ Valproic Acid ☐ Street drugs/other ✓	Jnknown			
Other:				
Gestational age:	28 (weeks)			
Birth weight:	(lbs) (oz)			
Delivery mode:				
○ Vaginal	Mother was carrying twins.			
If C-section, why?				
Presentation:				
○ Breech ○ Head first				
Were there newborn problems?				
● Yes ○ No				
If yes, explain:				

Child is an identical twin, he was born prematurely and required a 6 week NICU stay.	
Please check all of the following that apply:	
✓ In NICU Required intubation Seizures Birth defects	
✓ Feeding issues in infancy ○ Other	
Comments:	
Development History	
Communication Ability (Please indicate the child's highest communication/s)	
□ Nonverbal (e.g., no functional words) □ Uses single words □ Uses 2-3 word phrases	
✓ Uses sentences☐ Chats with other☐ Uses gestures (e.g., pointing, waving and/or leads other to wants/needs)	
Behavior Concerns	
☐ Short attention span ☐ Hyperactivity ☑ Obsessive-compulsive	
✓ Aggressive ☐ Hurting animals or other people ☐ Unusual or excessive fears	
 □ Depression ☑ Defiant □ Self-injury (e.g., head banging, biting, scratching, cutting, picking, etc.) ☑ Toileting issues, accidents 	
✓ Irritability/Moodiness ☐ Hallucinations	
Comments:	
Medical/Psychiatric History	

Diagnosis/Illnes	ss:			
Please lis Medication: Please check all Seizures Tic Disorder Staring spells Toe walking Hypertonia Hypotonia Microcephaly Macrocephal	st current medical I of the following that apply: s y ly nach ache/pain/reflux stipation	ions and su	pplements:	
	rhea			
☐ Food allergy				
Environment				
☐ Skin problem	ns (e.g., rash, eczema)			
Comments:				
Testing	Have the follo	wing tests b	een performed	l?
Chromosomal M	Microarray			
○Yes ○No	Unknown			
Karyotype				
○ Yes ○ No	Ounknown			
Fragile X DNA				
○ Yes ○ No	Unknown			
MRI of the brair	n			
	Unknown			

EEG	
○ Yes ○ No ● Unknown	
Sleep study	
○ Yes ○ No • Unknown	
Lead blood level	
○ Yes ○ No ● Unknown	
Audiologic (hearing) exam	
○ Yes ○ No ○ Unknown	
Vision screening	
Results:	
Academic testing	
Yes	
Results:	
icourts.	
Intelligence testing	
○ Yes ○ No ○ Unknown	
Comments:	
Dietary/Nutrition/Metabolic	
Dictary/itatificion/ivictabolic	
Please check all of the following that apply:	
☐ Problem eater (Less than 10 foods) ☐ Picky eater (Less than 20 foods)	
☐ Special Diet	
Pica (Eating/craving non-food items)	
☐ Chewing or swallowing issues ☐ History of growth concerns - Overweight	
History of growth concerns - Underweight	
Which beverages does the child drink regularly?	
✓ Water ✓ Milk ☐ Juice/Sweetened beverages	
Approximately how much water does the child drink per day?	
	(oz)
How often is water accessible?	
O At meals/snack times O Access to water available all day	

Approximately how much milk does the chi	ld drink per day?	(oz)			
Does child drink more than 24 oz	milk per day?				
○ Yes ○ No ● Unknown					
How often is milk accessible?					
• At meals/snack time • Access to fluids av	ailable all day				
Comments:					
Sleep History Rarely = never or 1 time/week; Sometimes = 2-4 times/week; Usually = 5 or more times/week					
Does the child fall asleep within 20 minutes	s? If yes, how often?				
○ No ○ Rarely ○ Sometimes ○ Usually	Ounsure				
Does the child awaken more than once duri	ing the night? If yes, how	often?			
○ No ○ Rarely ○ Sometimes ○ Usually	Ounsure				
Is this a problem?					
Comments:					
Trauma/Abuse History					
	No	Yes	Suspected		
Trauma/Abuse History	0	0	0		
Physical Abuse	0	0	0		
Sexual Abuse					
	0	0	0		

ocial History	
resides with:	Biological Parents 🗸
egal custody of the child:	Both parents 🕶
gical parents are:	Married ▼
nany people live in the home <i>not</i> including the child?	4 🕶
Who lives in the ho	me with the child?
onship (1/2 sib, step-parent, etc.):	Twin sibling
Age:	(5 yrs)(3 mos) (yrs) (mos)
Gender:	Male 🕶
onship:	Older sibling
Age:	(yrs) (mos)
Gender:	Male 🕶
nship:	Father
Age:	(yrs) (mos)
Gender:	Male 🕶
onship:	Mother
Age:	(yrs) (mos)

Comments:

Autism Spectrum Disorder ntellectual Disability Learning Disability	Mom	Dad	Brother	Sister
Genetic Disorders Autism Spectrum Disorder Intellectual Disability Learning Disability Seizure Disorder (e.g., epilepsy)		Dad		Sister
Autism Spectrum Disorder Intellectual Disability Learning Disability				
Intellectual Disability Learning Disability				
Learning Disability				
Seizure Disorder (e.g., epilepsy)				
(0, 1 1 2,				
Mental Health Concerns (e.g., Depression, Anxiety Disorder, Bipolar)				
Childhood deaths				
Birth defects				
Dysmorphology				
Substance abuse				
Comments:				

□ 1st Steps □ Public School
Private School
Does the child participate in either of the following?
☐ Early Intervention Services (First Steps or Birth-3 Program)
If the child attends child care or school outside the home, what is the typical schedule?
○ Full Day ● Part Day
Does the child have an IEP or 504 plan?
What services and how many minutes does the child receive?
ECSE Cognition: 20 mpw, Adaptive Skills 20 mpw, Social Skills 20 mpw, OT 30 mpw, Speech 30 mpw, SBSW 10 mpw.
Under what category is the child eligible for services?
□Autism
☐ Deaf-blindness
Emotional Disturbance
Hearing Impaired/Deafness
Intellectual Disability
Multiple Disabilities
Orthopedic Impairment
Other Health Impairment
Specific Learning Disability
Speech/Language Impairment
☐ Traumatic Brain Injury
☐ Visual Impairment/ Blindness
✓ Young Child with a Developmental Delay (YCDD)
Comments:
The child is in the process of transitioning into a more restricted environment with ABA/DTT.
Outside Resources
Resources:
☐ Bureau of Special Health Care Needs
Behavioral Therapy/ABA
□ Easter Seals
☐ Division of Family Services (DFS)
Physical Therapy (PT)
☑ Parents as Teachers (PAT)
□ WIC
Counseling
Regional Center (Dept. of Mental Health)

☐ Speech Language Therapy (SLT)
☐ Psychiatric Services
☐ First Steps
Occupational Therapy (OT)
Social Security Disability (SSI)
☐ None of the above
☐ Other
Comments
Social Communication
A1. Deficits in social-emotional reciprocity. (Click all that apply)
Unusual social initiations (e.g., intrusive touching, licking or others)
Use of others as tools (e.g. child uses your hand to initiate a task)
Failure to respond when name called or when spoken directly to
✓ Does not initiate conversations
☐ Lack of showing or pointing out objects of interest to other people
☐ Lack of responsive social smile
☐ Failure to share enjoyment, excitement or achievements with others
✓ Does not show pleasure in social interactions
✓ Failure to offer comfort to others
Only initiates to get help
A2. Deficits in nonverbal communicative behaviors used for social interaction (check all that apply)
Use a sign and in assigly as of aya contact
\Box Impairments in social use of eye contact \Box Impairment in the use and understanding of body postures (e.g. facing away from listener)
Impairment in the use and understanding of body postures (e.g. facing away from isterier) Impairment in the use and understanding of gestures (e.g. pointing, waving, nodding head)
Abnormal volume, pitch, intonation, rate, rhythm, stress, prosody or volume in speech
✓ Lack of coordinated verbal and nonverbal communication (e.g. inability to coordinate eye contact or body language with
words)
A2 Deficite in devaluation reciptations and understanding relationships
A3. Deficits in developing, maintaining, and understanding relationships
☑ Inability to take another person's perspective (4 years or older)
Does not notice another person's lack of interest in an activity
Lack of response to contextual cues (e.g. social cues from others indicating a change in behavior is implicitly requested)
☐ Inappropriate expressions of emotion (laughing or smiling out of context)
☐ Lack of imaginative play with peers
Does not try to establish friendships
☑ Lack of cooperative play (over 24 months of age)
☑ Lack of interest in peers
Withdrawn; aloof; in own world
✓ Prefers solitary activities
Restricted/Repetitive Behavior
B1. Stereotyped or repetitive motor movements, use of objects, or speech

 \Box Lining up toys

purpose)
Repetitively turns on/off lights
☐ Echolalia
ldiosyncratic phrases (Example: "crunchy water" for ice)
☐ Hand flapping
Rocking
☐ Flicking fingers in front of eyes
Opening/closing doors
☐ Spinning
☐ Unusually formal language (Example: little professor talk)
☐ Jargon or gibberish past developmental age of 24 months
✓ Use of "rote" language
Pronoun reversal and/or refers to self by own name
Repetitive vocalizations (Examples: unusual squealing, repetitive humming)
Abnormal posture (Examples: toe walking, intense full body posturing)
✓ Excessive teeth grinding
☐ Repetitive picking
B2. Insistence on sameness, inflexible adherence to routines, or ritualized patterns of verbal or nonverbal behavior
✓ Difficulty with transition
✓ Unusual routines
Repetitive questioning about a particular topic
☑ Extreme distress with small changes
☑ Rigid thinking patterns (Examples: inability to understand humor or nonliteral aspects of speech such as irony)
Greeting rituals or other verbal rituals
Compulsions (Example: must turn in a circle three times before entering a room)
☑ Need to take some route or eat same food every day
B3. Highly restricted, fixated interests that are abnormal in intensity or focus
\square Strong attachment to or preoccupation with unusual objects (Examples: fans, elevators)
☑ Excessively circumscribed or perseverative interests (Examples: dinosaurs, alphabet, shapes)
☑ Being overly perfectionistic
Excessive focus on nonrelevant or nonfunctional parts of objects (Example: overly focused on wheels on car)
Attachment to unusual inanimate object (Example: measuring cup or ring from canning jar)
Unusual fears (Example: people wearing earrings or hats)
B4. Hyper- or hypo-reactivity to sensory input or unusual interest in sensory aspects of the environment
Apparent indifference to pain/temperature
Adverse response to specific sounds or textures (Examples: tactile defensiveness, significant aversion to nail cutting)
☐ Excessive smelling, licking or touching of objects
Uisual fascination with lights or movement (Examples: close visual inspection of objects or self for no clear purpose)
Excessive movement, seeking behavior
Additional Commonts
Additional Comments
Proposed Recommendations:

Based on my assessment, the following recommendations are proposed for the child:

1)	
2)	
3)	
4)	
5)	
6)	
Form Status	
Complete?	Complete 🕶